

PLAKA – DISPERSION GLUE
Glue for concrete cones
REF 04.01.07 - Version V01 - 12/08/2020



Description




Ready to use dispersion glue for the bonding of concrete to concrete.

Application fields

For bonding concrete units to the structural concrete, e.g. concrete cones.

Dimensions

Material dimensions				
Code	Picture	Description	Kg/box	Kg/1
MO902024		Dispersion glue	20	1

Implementation

- The surface must be clean, dry or slightly moistened. It must be flat, free of dirt, dust, oil, grease and loose particles.
- In case of highly absorbent surface, immerse the concrete cones for 2/3 of their length in the glue, then let drain and insert them in the intended holes into the concrete structure.
- Remove the glue in excess.

Remark : Dispersion glue consumption for 1,000 cones = ± 75 kg.

PLAKA – DISPERSION GLUE

Glue for concrete cones

REF 04.01.07 - Version V01 - 12/08/2020



Various information

1. Storage

Store in a frost free place.

Can be stored for 12 months, sealed in its original packaging.

PLAKA – DISPERSION GLUE**Glue for concrete cones**

REF 04.01.07 - Version V01 - 12/08/2020

**2. Transport information:**

Not dangerous according to the transport regulations.

Do not expose to frost during transport.

3. Environmental information

Water hazard class : WGK = 1

4. Environmental protection:

For recycling, the bucket must be completely empty. Use a scraper (like a putty knife) to loosen the glue residues.

Let it dry. Can be removed like any other waste.